

AMENDMENTS TO THE CLAIMS

1. (Previously Presented) A control device comprising:
a transmitter module one of detachably mounted to and integrated with
a sporting equipment, and the transmitter module positioned within a sleeve
removably fastened about the sporting equipment.

2. (Original) The control device of Claim 1 further comprising
a remote receiver device in responsive communication with the transmitter module,
and the remote receiver device receiving at least one control signal transmitted from
the transmitter module.

3. (Original) The control device of Claim 1 wherein the sporting
equipment comprises a firearm.

Claims 4-6 (Canceled)

7. (Original) The control device of Claim 1 wherein the transmitter
module further comprises a microcontroller in operational control communication
with a remote receiver device.

Serial No.: 10/762,644

8. (Original) The control device of Claim 7 wherein the microcontroller further comprises an electronic circuit board.

9. (Original) The control device of Claim 1 wherein the transmitter module further comprises at least one control contact.

10. (Original) The control device of Claim 9 wherein the at least one control contact comprises a pushbutton for transmitting a dedicated control signal to a remote receiver device.

11. (Currently amended) A control device comprising:
a sleeve removably fastened about a gunstock, and a transmitter module positioned within a pocket formed by the sleeve.

12. (Original) The control device of Claim 11 further comprising a remote receiver device in responsive communication with the transmitter module, and the remote receiver device receiving at least one control signal transmitted from the transmitter module.

Serial No.: 10/762,644

13. (Previously Presented) The control device of Claim 11 wherein at least one of a snap, a button, a hook-and-loop fastener, a strap fastener and a zipper fastens the sleeve about the gunstock.

14. (Original) The control device of Claim 11 wherein the transmitter module further comprises a microcontroller in operational control communication with a remote receiver device.

15. (Original) The control device of Claim 11 wherein the transmitter module further comprises at least one control contact.

16. (Original) The control device of Claim 15 wherein the at least one control contact comprises a pushbutton for transmitting a dedicated control signal to a remote receiver device.

17. (Original) The control device of Claim 16 wherein the dedicated control signal comprises at least one of a voice signal, a sound signal, a single shock signal, a multiple shock signal, a single vibration signal and a multiple vibration signal.

Serial No.: 10/762,644

18. (Original) The control device of Claim 11 wherein a remote receiver device translates the control signal into at least one of an electrical action and a mechanical action.

19. (Previously Presented) A control device comprising:
a transmitter module positioned within a sleeve, the sleeve removably fastened about a piece of equipment; and
a remote receiver device in responsive communication with the transmitter module, the remote receiver device receiving at least one control signal transmitted from the transmitter module and translating the control signal into at least one of an electrical action and a mechanical action.

20. (Canceled)

21. (Original) The control device of Claim 19 wherein the transmitter module further comprises a control panel in operational control communication with a remote receiver device, the control panel comprising a plurality of pushbuttons, each pushbutton of the plurality of pushbuttons corresponding with a dedicated control signal.

Serial No.: 10/762,644

22. (Original) The control device of Claim 19 wherein a first pushbutton of the plurality of pushbuttons operates a sound signal, a second pushbutton of the plurality of pushbuttons operates at least one of a single shock signal and a single vibration signal and a third pushbutton of the plurality of pushbuttons operates at least one of a multiple shock signal and a multiple vibration signal.